

- LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING
(funding data not available)

NATALITY

TOTAL LIVE BIRTHS			49	Birth Order		Births	Percent	Marital Status			
				First		21	43	of Mother	Births	Percent	
Crude Live Birth Rate			9.6	Second		14	29	Married	48	98	
General Fertility Rate			49.1	Third		9	18	Not married	1	2	
				Fourth or higher		5	10	Unknown	0	0	
Live births with reported congenital anomalies			0 . %	Unknown		0	0				
				First Prenatal Visit		Births	Percent	Education of Mother			
Delivery Type			Births	Percent				Births	Percent		
Vaginal after					1st trimester	42	86	Elementary or less	0	0	
previous cesarean			2	4	2nd trimester	6	12	Some high school	5	10	
Forceps			0	0	3rd trimester	0	0	High school	15	31	
Other vaginal			36	73	No visits	0	0	Some college	11	22	
Primary cesarean			5	10	Unknown	1	2	College graduate	18	37	
Repeat cesarean			6	12				Unknown	0	0	
Other or unknown			0	0				Smoking Status of Mother			
				Number of Prenatal Care visits		Births	Percent	Births	Percent		
Birth Weight			Births	Percent	No visits	0	0	Smoker	11	22	
<1,500 gm			0	0.0	1-4 visits	0	0	Nonsmoker	38	78	
1,500-2,499 gm			0	0.0	5-9 visits	6	12	Unknown	0	0	
2,500+ gm			49	100.0	10-12 visits	16	33				
Unknown			0	0.0	13+ visits	26	53				
					Unknown	1	2				
				Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit					
			Total Births		1st Trimester		2nd Trimester		Other/Unknown		
Race of Mother			Births	Percent	Births	Percent	Births	Percent	Births	Percent	
White			48	98	.	.	42	88	5	10	
Black			0	0	1	2	
Other			1	2	*	.	*	.	*	.	
Unknown			0	0	
					Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit				
			Fertility		1st Trimester		2nd Trimester		Other/Unknown		
Age of Mother			Births	Rate	Births	Percent	Births	Percent	Births	Percent	
<15			0	--	
15-17			0	
18-19			2	.	*	.	*	.	*	.	
20-24			11	.	.	.	8	73	3	27	
25-29			14	.	.	.	12	86	2	14	
30-34			14	.	.	.	13	93	.	.	
35-39			7	.	.	.	6	86	1	14	
40+			1	.	*	.	*	.	*	.	
Unknown			0	--	
Teenage Births			2	.	* - Not reported. Age or race category has less than 5 births						

* - Not reported. Age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	0
Giardiasis	0
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	0
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	0
Shigellosis	0
Tuberculosis	0

* 1999 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	<5
Genital Herpes	.
Gonorrhea	.
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	0
Syphilis	0

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	866
Non-compliant	4
Percent Compliant	99.5

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	49
Crude Death Rate	964

Age	Deaths	Rate
1-4	1	.
5-14	.	.
15-19	1	.
20-34	.	.
35-54	2	.
55-64	4	.
65-74	14	.
75-84	14	.
85+	13	.

Infant

Mortality	Deaths	Rate
Total Infant	.	.
Neonatal	.	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	.	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	.	.
Neonatal	.	.
Fetal	.	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	17	.
Ischemic heart disease	.	.
Cancer (total)	14	.
Trachea/Bronchus/Lung	.	.
Colorectal	1	.
Female Breast	2	.*
Cerebrovascular Disease	1	.
Lower Resp. Disease	.	.
Pneumonia & Influenza	.	.
Injuries	1	.
Motor vehicle	.	.
Diabetes	.	.
Infectious & Parasitic	.	.
Suicide	.	.

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	.	.
Other Drugs	1	.
Both Mentioned	.	.

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	66	7
Alcohol-Related	15	5
With Citation:		
For OWI	8	0
For Speeding	7	0
Motorcyclist	4	0
Bicyclist	0	0
Pedestrian	0	1

----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

Injury-Related: All

Total	18
<18	1
18-44	6
45-64	3
65+	8

Injury: Hip Fracture

Total	0
65+	0

Injury: Poisonings

Total	0
18-44	0

Psychiatric

Total	15
<18	7
18-44	6
45-64	1
65+	1

Coronary Heart Disease

Total	19
45-64	7
65+	12

Malignant Neoplasms (Cancers): All

Total	10
18-44	2
45-64	4
65+	4

Neoplasms: Female Breast (rates for female population)

Total	2
-------	---	---	---	---	---

Neoplasms: Colo-rectal

Total	0
65+	0

Neoplasms: Lung

Total	0
-------	---	---	---	---	---

Diabetes

Total	0
65+	0

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

Alcohol-Related

Total	3
18-44	3
45-64	0

Pneumonia and Influenza

Total	2
<18	0
45-64	0
65+	2

Cerebrovascular Disease

Total	5
45-64	1
65+	4

Chronic Obstructive Pulmonary Disease

Total	2
<18	0
18-44	0
45-64	0
65+	2

Drug-Related

Total	2
18-44	1

Total Hospitalizations

Total	156	30.7	5.3	\$12,513	\$384
<18	13
18-44	38	20.8	4.0	\$8,760	\$183
45-64	42	32.8	5.2	\$13,496	\$442
65+	63	83.6	5.6	\$14,831	\$1,240

----- PREVENTABLE HOSPITALIZATIONS* -----

Total	12	.	4.8	\$19,718	\$47
<18	0	0.0	.	.	.
18-44	2	1.1	7.5	\$29,128	\$32
45-64	2	1.6	1.0	\$2,112	\$3
65+	8	10.6	5.0	\$21,767	\$231

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.